





Thru-the-Wall Heating & Cooling



National Comfort Products

A Division of National Refrigeration and Air Conditioning Products, Inc. 539 Dunksferry Road · Bensalem, PA 19020-5908

(800) 523-7138

www.nationalcomfortproducts.com

Scan the QR Code to Watch Video!

Go Thru-the-Wall



OUR MARKETS

Multifamily · Senior Living · Student Housing · Modular Buildings · Hotels & Motels · Replacements & Retrofits

OUR HISTORY

National Comfort Products is a leading manufacturer of thru-the-wall heating and air conditioning equipment for the multi-family industry and has been for over 35 years. National Comfort Products markets worldwide through wholesalers who represent the finest in heating and air conditioning products. We have built our reputation on high quality products and fast, efficient service, making National Comfort Products a leader in customer satisfaction.

Here at National Comfort Products, our team is committed to advanced research and development to continuously develop products using the latest advances in energy technology and design.

RESEARCH AND DEVELOPMENT

Our team is comprised of engineering, manufacturing and quality professionals dedicated to creating innovative solutions for advanced technologies. The people at National Comfort Products focus on the complete manufacturing process, from design to quality control, designing advanced heating and air conditioning products which are easier to use, more accurate, and more functional. Our research and development is supported with an in-house lab that can replicate indoor and outdoor temperatures over a wide span.

STATE-OF-THE-ART FACILITY

National Comfort Product's 200,000 square-foot manufacturing facility in Bensalem, PA, features sophisticated metal fabricating equipment, a robotic brake, punching cells, and copper machines.

With new state-of-the-art tooling, including refrigeration charging, leak checking equipment, and metal processing equipment, we ensure that all of our heating and air conditioning equipment meets our high quality standard before it is shipped to our customers. All phases of the manufacturing process from engineering and design to fabrication and assembly are done in-house by our experienced personnel.

CONTACT US

Visit us at www.NationalComfortProducts.com for additional information on any of our products or call us at 800-523-7138



OUR PRODUCTS

Thru the Wall Comfort Pack

Our Comfort Pack, with the options of gas or electric heat and electric cooling, comes in a total self-contained package offering easier installation, access and efficiency. Models range from 0.75 to 2.5 tons and come pre-charged and pre-wired. The heating sections have an input range up to 64,000 Btuh for gas and 15 KW for electric.

All Comfort Pack Units meet Department of Energy requirements.

Comfort Pack Advantages



Gas Non Condensing Furnace Models

80% AFUE Slide-Out Furnace with Stainless Steel Heat Exchanger



Gas Condensing Furnace Models

Up to 95% AFUE Slide-Out Furnace with Stainless Steel Heat Exchanger



Auxiliary Drain Provides Built In Condensate Overflow Protection



LIQUID SUCTION

Easy Access Refrigeration Service Ports Utilizing Low Loss Coremax Technology



Polarized Molex Plugs Allowing for Simple Disconnect from Cabinet



Comfort Pack | Universal with 80% Gas Heat

MODEL	NOMINAL TONNAGE	RATED COOLING CAPACITY	SEER2	Heater Input (Btu/h)	AFUE
CP850928UA	0.75	8,900	11.7	28,000	80%
CP851228UA	1	11,800	12.3	28,000	80%
CP851238UA	1	11,800	12.3	38,000	80%
CP851828UA	1.5	17,600	12.5	28,000	80%
CP851838UA	1.5	17,600	12.5	38,000	80%
CP851851UA	1.5	17,600	12.5	51,000	80%
CP851864UA	1.5	17,600	12.5	64,000	80%
CP852428UA	2	22,400	12.3	28,000	80%
CP852438UA	2	22,400	12.3	38,000	80%
CP852451UA	2	22,400	12.3	51,000	80%
CP852464UA	2	22,400	12.3	64,000	80%









Scan here for the Comfort Pack Universal Spec sheet



COMING SOON!

Comfort Pack R Series 2.5 Ton with 80% Gas Heat

GAS MODEL	NOMINAL TONNAGE	RATED COOLING CAPACITY	SEER2	Heater Input (Btu/h)	AFUE
CP853051RA	2.5	27,000*	12.5*	51,000	80%
CP853064RA	2.5	27,000*	12.5*	64,000	80%

^{*}Product coming soon, ratings are an estimate and not official











Comfort Pack | Universal with up to 95% Gas Heat

MODEL	NOMINAL TONNAGE	RATED COOLING CAPACITY	SEER2	Heater Input (Btu/h)	AFUE
CP950925UA	0.75	8,900	11.7	25,000	95%
CP951225UA	1	11,800	12.3	25,000	95%
CP951232UA	1	11,800	12.3	32,000	95%
CP951825UA	1.5	17,600	12.5	25,000	95%
CP951832UA	1.5	17,600	12.5	32,000	95%
CP951843UA	1.5	17,600	12.5	43,000	95%
CP951850UA	1.5	17,600	12.5	50,000	93%
CP952425UA	2	22,400	12.3	25,000	95%
CP952432UA	2	22,400	12.3	32,000	95%
CP952443UA	2	22,400	12.3	43,000	95%
CP952450UA	2	22,400	12.3	50,000	93%













COMING SOON!

Comfort Pack R Series 2.5 Ton with up to 95% Gas Heat

GAS MODEL	NOMINAL TONNAGE	RATED COOLING CAPACITY	SEER2	Heater Input (Btu/h)	AFUE
CP953043RA	2.5	27,000*	12.5*	51,000	95%
CP953050RA	2.5	27,000*	12.5*	64,000	93%

*Product coming soon, ratings are an estimate and not official











Comfort Pack | Universal with Optional Electric Heat Kit

ELECTRIC MODEL	NOMINAL TONNAGE	RATED COOLING CAPACITY	SEER2
CPE50900UA	0.75	8,900	11.7
CPE51200UA	1	11,800	12.3
CPE51800UA	1.5	17,600	12.5
CPE52400UA	2	22,400	12.3

Field Installed Heat Kits

HEAT KIT	ELECTRIC HEATING
CPEHK-03-A	3 KW
CPEHK-05-A	5 KW
CPEHK-07-A	7 KW
CPEHK-10-A	10 KW
CPEHK-15-A	15 KW (not available for CPE40900UB and CPE41200UB)

Scan here for the Comfort Pack Universal Spec sheet







COMING SOON!

Comfort Pack R Series 2.5 Tons with Optional Electric Heat Kit

ELECTRIC	NOMINAL	RATED COOLING	SEER2
MODEL	TONNAGE	CAPACITY	
CPE53000RA	2.5	27,000*	12.5*

Field Installed Heat Kits

HEAT KIT	ELECTRIC HEATING
CPEHK-10-A	10 KW
CPEHK-15-A	15 KW

^{*}Product coming soon, ratings are an estimate and not official









Thru the Wall Split System Condensing Units

Our line of split-system condensing units have a capacity range of 1.5 to 2.5 tons. Condensing units are offered in four different cabinet sizes to fit applications with minimum modifications to the existing opening. All of our units are rated per the DOE Standard and are perfect for new multi-family apartment projects.

Thru the Wall Split System Advantages

Our Thru-the-Wall condensing units can be used in new construction for a smaller wall penetration fit or to fit multiple preexisting wall openings for building retrofits for a more appealing exterior.

Thru-the-Wall condensing units save time and money with simple installation, eliminates long refrigerant or electrical runs, as well as theft and vandalism.





NCP MODELS	NOMINAL TONNAGE	RATED COOLING CAPACITY (BTU/H)	DIMENSIONS	EFFICIENCY RATINGS (SEER2*)
1000 Series				
NCP5181000A-**	1.5	18,600	26 1/4" W x 28 5/8" H x 18 1/2" D	13.0
NCP5241000A-**	2	23,600	26 1/4" W x 28 5/8" H x 18 1/2" D	13.0
NCP5301000A-**	2.5	27,000	26 1/4" W x 28 5/8" H x 18 1/2" D	12.5
3000 Series				
NCP5183000A-**	1.5	18,400	24 1/8" W x 32" H x 18 1/2" D	13.5
NCP5243000A-**	2	23,600	24 1/8" W x 32" H x 18 1/2" D	13.5
NCP5303000A-**	2.5	27,000	24 1/8" W x 32" H x 18 1/2" D	12.5
4000 Series				
NCP5184000A-**	1.5	18,600	30" W x 23" H x 22 1/2" D	13.0
NCP5244000A-**	2	23,600	30" W x 23" H x 22 1/2" D	13.0
NCP5304000A-**	2.5	26,800	30" W x 23" H x 22 1/2" D	12.2
5000 Series				
NCP5185000A-**	1.5	18,500	26 7/8" W x 38 7/8" H x 18 1/2" D	14.5
NCP5245000A-**	2	24,800	26 7/8" W x 38 7/8" H x 18 1/2" D	14.5
NCP5305000A-**	2.5	28,400	26 7/8" W x 38 7/8" H x 18 1/2" D	13.5

When matched with NAH5**MF Air Handlers



Scan here for the Thru-the-Wall Split System Spec sheet ...



Thru the Wall Split System Heat Pumps

3000 Series Heat Pump

Our 3000 Series heat pump when matched with our NAH air handler will provide a complete system.



3000 Series

MODELS	NOMINAL RATED COOLING TONNAGE CAPACITY (BTU/H)		RATED HEATING CAPACITY (BTU/H)			DIMENSIONS	EFFICIENCY RATINGS	
	TONNAGE	CAPACITY (B10/H)	@ 47°F	@ 35°F	@ 17°F		SEER2*	HSPF2*
NHP5183000A-**	1.5	17,800	15,800	12,500	9,900	24 1/8" W x 32" H x 18 1/2" D	12.0	6.8
NHP5243000A-**	2	22,400	19,500	15,300	11,800	24 1/8" W x 32" H x 18 1/2" D	12.0	6.8

When matched with NAH5**MF Air Handlers



Scan here for the Thru-the-Wall Split System Spec sheet



HIGHER EFFICIENCY 5000 Series Heat Pump

Thru the Wall Split System Heat Pumps

5000 Series Heat Pump

Our 5000 Series heat pump when matched with our NAH air handler will provide a complete system.



5000 Series

MODELS		RATED COOLING CAPACITY (BTU/H)	CAP	TED HEA ACITY (B		DIMENSIONS	EFFIC RATI	IENCY INGS
	TONNAGE	CAPACITY (B10/H)	@ 47°F	@ 35°F	@ 17°F		SEER2*	HSPF2*
NHP5185000A-**	1.5	17,800	16,000	12,900	9,900	26 7/8" W x 38 7/8" H x 18 1/2" D	13.5	7.0
NHP5245000A-**	2	23,800	21,000	17,200	12,400	26 7/8" W x 38 7/8" H x 18 1/2" D	13.5	7.2
NHP5305000A-**	2.5	26,800	23,000	18,900	13,200	26 7/8" W x 38 7/8" H x 18 1/2" D	13.0	7.2
When matched with	NAH5**MF Aii	r Handlers						





Scan here for the Thru-the-Wall Split System Spec sheet






Air Handlers

New Multi Family Style Air Handler

NAH524MF*-L*	2 Ton	24" W x 27 3/4" H x 24" 1/2 D
NAH524MF*-R*	2 Ton	24" W x 27 3/4" H x 24" 1/2 D
NAH530MF*-L*	2.5 Ton	24" W x 27 3/4" H x 24" 1/2 D
NAH530MF*-R*	2.5 Ton	24" W x 27 3/4" H x 24" 1/2 D

*Note: L denotes Left Hand Return R denotes Right Hand Return







Scan here for the Thru-the-Wall Split System Spec sheet



Cased Coil

Adjustable R-410A TXV for optimum performance Matches available with all NCP Condensing Units

NCC Series - R410A Cased Coil

NCC518AA-1	1.5 Ton	17.50" W x 21.50" D x 20" H
NCC524AA-1	2 Ton	17.50" W x 21.50" D x 24" H
NCC530AA-1	2.5 Ton	21.00" W x 21.50" D x 28" H

^{*}Note:Ready for both left and right hand drain requirements





Scan here for the Thru-the-Wall Split System Spec sheet



Optional Products

Architectural Louver Grilles

Our louver grilles enhance the appearance of the building, while providing protection from the weather and possible vandalism. Grilles are available in anodized aluminum and in multiple colors.



Comfort Pack Architectural Louver Grille (shown in anodized aluminum)



Split-System Architectural Louver Grille (shown in anodized aluminum)



Comfort Pack Powder Coated Stamped Louver

Architectural Louvers

142690351000 Series Aluminum Architectural Louver142690363000 Series Aluminum Architectural Louver142690374000 Series Aluminum Architectural Louver142690385000 Series Aluminum Architectural Louver14269035-P1000 Series Painted Architectural Louver

14269035-SP 1000 Series Painted Architectural Louver Sleeve Fit

14269036-P 3000 Series Painted Architectural Louver

14269036-SP 3000 Series Painted Architectural Louver Sleeve Fit

14269037-P 4000 Series Painted Architectural Louver

14269037-SP 4000 Series Painted Architectural Louver Sleeve Fit

14269038-P 5000 Series Painted Architectural Louver

14269038-SP 5000 Series Painted Architectural Louver Sleeve Fit

CPLG Comfort Pack Aluminum Architectural Louver (Not for use on Condensing Gas Furnace Model)

CPLG-P Comfort Pack Painted Architectural Louver (Not for use on Condensing Gas Furnace Model)

CPLG-S
Comfort Pack Aluminum Architectural Louver Sleeve Fit (Not for use on Condensing Gas Furnace Model)
CPLG-SP
Comfort Pack Painted Architectural Louver Sleeve Fit (Not for use on Condensing Gas Furnace Model)
CPSG-P
Comfort Pack Powder Coated Sleeve Fit Stamped Louver (Not for use on Condensing Gas Furnace Model)

CPLGX-SP Comfort Pack Condensing Gas Furnace Painted Architectural Louver Sleeve Fit

CPSGX-P Comfort Pack Condensing Gas Furnace Powder Coated Sleeve Fit Stamped Louver

CPLGT Comfort Pack T-Series Aluminum Architectural Louver
CPLGT-P Comfort Pack T-Series Painted Architectural Louver

CPLGT-S
Comfort Pack T-Series Aluminum Architectural Louver Sleeve Fit
CPLGT-SP
Comfort Pack T-Series Painted Architectural Louver Sleeve Fit
CPSGT-P
Comfort Pack T-Series Powder Coated Sleeve Fit Stamped Louver

CPLGTX-SP Comfort Pack T-Series Painted Architectural Louvered Grill for 95% Models (Attaches to Wall Sleeve Only) 14269039-P

Standard Intake and Discharged Grille 95% Models Powder Coated Color T-Series

CPSGTX-P (less than 15 per color requires \$200 set up fee)

P = Painted S = Sleeve Mounted

Wall Sleeves

Our wall sleeves are perfect for new construction providing accurate openings during building construction while units remain off-site through construction.







Comfort Pack Wall Sleeve

Wall Sleeves

1000-WSD-121000 Series Wall Sleeve3000-WSD-123000 Series Wall Sleeve4000-WSD-124000 Series Wall Sleeve5000-WSD-125000 Series Wall SleeveCPWSComfort Pack Wall Sleeve

CPWSA Comfort Pack Wall Sleeve Adapter (for Retrofits)

Condensing Unit Insulated Indoor Cover The Indoor Sound Cover is to be used with NCP condensing units, properly installed in the WSD Series Wall Sleeve. (Models 1000-WSD-12, 3000-WSD-12, 4000-WSD-12 and 5000-WSD-12 only) When properly installed, the indoor sound is substantially reduced. As well, thermal conductivity from the outdoors is eliminated.

Sound Covers

1000 I.D. COVER
 1000 Series Insulated Sound Cover
 3000 I.D. COVER
 4000 Series Insulated Sound Cover
 4000 Series Insulated Sound Cover
 5000 Series Insulated Sound Cover





National Comfort Products

A Division of National Refrigeration and Air Conditioning Products, Inc. 539 Dunksferry Road · Bensalem, PA 19020-5908 (800) 523-7138 www.nationalcomfortproducts.com

